EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|--------|--|---|---------------------|---------|------------------|
| S1 | 2051 | 719/311-315.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:05 |
| S2 | 2063 | ((virtual near3 server\$1) jail\$1 (virtual near3 (operating adj system\$1)) (virtual near3 environment\$1)) and kernel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2007/05/07 09:20 |
| S3 | 297 | S2 and (inter\$1process near3 communication\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:11 |
| S4 | 200 | S3 and (access\$3 near6 (list\$1 credential\$1 level\$1 right\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:12 |
| S5 | 52 | S4 and ((process processes) near3 request\$3 with communicat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:09 |
| S6 | 152 | S4 and ((process processes) near3 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:12 |
| S7 | 6 | S1 and S6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:10 |
| S8 | . 1305 | ((virtual near3 server\$1) jail\$1 (virtual near3 environment\$1)) and kernel | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:11 |
| S9 | 238 | S8 and (inter\$1process near3 communication\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:07 |

Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 "virtual servers" inter-process communication :
 Search
 Advanced Search Preferences

Web Results 1 - 10 of about 112 for "virtual servers" inter-process communication access credential partition OS kernel.

Did you mean: "virtual servers" interprocess communication access credential partition OS kernel

[PDF] Abstract classes, 220 Accept unsecured communication, but always ...

File Format: PDF/Adobe Acrobat - View as HTML

All-User remote access credentials, 143 ... Interprocess Communication Manager, 29-

30. Interprocess Communications (IPC), 38. Interrupt Time counter, 47 ...

www.awprofessional.com/content/images/0201791064/index/williamsindex.pdf -

Similar pages

[PDF] Installation Guide for the Cisco Application Networking Manager 1.1

File Format: PDF/Adobe Acrobat - View as HTML

You can also create virtual servers, which allow you to further manage system ...

Configuring Device Access Credentials. Use this procedure to add device ...

www.cisco.com/application/pdf/en/us/guest/

products/ps7136/c1099/ccmigration_09186a00807b0532.pdf - Similar pages

systems information center

Encrypting interprocess communication ... Extending a partition on a logical drive ...

Providing access credentials for the z/VM systems management API ...

publib.boulder.ibm.com/infocenter/eserver/v1r2/index.jsp - 977k - Cached - Similar pages

[PDF] IBM Director Software Distribution Premium Edition Installation ...

File Format: PDF/Adobe Acrobat - View as HTML

v You can enable null credentials to access the share so that you do not have ...

interprocess communication (IPC). A mechanism of an operating system that ...

publib.boulder.ibm.com/infocenter/eserver/v1r2/topic/swdistpe_5.20/frl0_bk_swdistr_pe.pdf

- Similar pages

[More results from publib boulder.ibm.com]

[PDF] zSeries Platform Test Report for z/OS and Linux Virtual Servers

File Format: PDF/Adobe Acrobat

Migrating Linux Virtual Servers from the 2.4 to 2.6 Kernel. 341. Introduction. ... about

active inter-process communication facilities. ...

www.thebrainhouse.ch/gse/doku/Parallel_Sysplex_Dec_2005.pdf - Similar pages

[PDF] IBM E server BladeCenter and Topspin InfiniBand Switch Technologygy

File Format: PDF/Adobe Acrobat - View as HTML

clusters that deliver fast interprocess communication across servers as well as among ...

interface for use from kernel mode applications, or the OS itself. ...

www.redbooks.ibm.com/redpapers/pdfs/redp3949.pdf - Similar pages

[PDF] Managing Linux Guests using IBM Director and z/VM Center

File Format: PDF/Adobe Acrobat - View as HTML

simplifies the creation and grouping of virtual servers, and the deployment of Linux

systems ... Interprocess communications data are encrypted by default ...

www.redbooks.ibm.com/redpapers/pdfs/redp4312.pdf - Similar pages

[More results from www.redbooks.ibm.com]

IPDF1 COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - View as HTML

EAST Search History

| S10 | 169 | S9 and (access\$3 near6 (list\$1 credential\$1 level\$1 right\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:10 |
|-----|------|--|---|----|-----|------------------|
| S11 | 132 | S10 and ((process processes) near3 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:12 |
| S12 | 155 | S10 and ((process processes application\$1 program\$1 client\$1) near3 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:23 |
| S13 | 6 | S1 and S12 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:13 |
| S14 | 8 | S11 and ((ID\$1 identif\$6) with ((virtual near3 server\$1) jail\$1 (virtual near3 (operating adj system\$1)) (virtual near3 environment\$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:06 |
| S15 | 6 | S11 and ((ID\$1 identif\$6) with ((virtual near3 server\$1) jail\$1 (virtual near3 environment\$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:23 |
| S16 | 132 | S11 and (ID\$1 identif\$6 identity) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 09:23 |
| S17 | 6405 | ((ID\$1 identif\$6) with ((virtual near3 server\$1) jail\$1 partition\$1 (virtual near3 environment\$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:06 |
| S18 | 6658 | ((ID\$1 identif\$6 identit\$4) with ((virtual near3 server\$1) jail\$1 partition\$1 (virtual near3 environment\$1))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:07 |
| S19 | 169 | S18 and (inter\$1process near3 communication\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:07 |

EAST Search History

| S20 | 96 | S19 and (access\$3 near6 (list\$1 credential\$1 level\$1 right\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:13 |
|-----|----|--|---|----|-----|------------------|
| S21 | 90 | S20 and ((process processes application\$1 program\$1 client\$1) near3 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:23 |
| S22 | 89 | S20 and ((process processes application\$1 program\$1) near3 request\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:29 |
| S23 | 16 | S22 and (communication\$1 near3 object\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 10:28 |

Page 3

Interprocess Communication Manager (IPC), 8. intra-cluster communication, 847 ... trust relationships, 304. virtual servers, 813. kernel. described, 7 ... media.wiley.com/product_data/excerpt/03/04717548/0471754803-2.pdf - Similar pages

System Services for Windows Server 2003 Family and Windows XP ... This includes access to stores and services such as the taxonomy database ... robust, efficient, and secure interprocess communication (IPC) mechanism that ... www.microsoft.com/technet/prodtechnol/ windowsserver2003/technologies/management/svrxpser_7.mspx - 351k - Cached - Similar pages

Thincomputing.net

If the incompatibility is the result of Windows messages being used as an **Interprocess communication** (IPC) mechanism, application isolation is not the ... www.thincomputing.net/news.php?month.200604 - 383k - <u>Cached</u> - <u>Similar pages</u>

Did you mean to search for: "virtual servers" interprocess communication access credential partition OS kernel

Result Page: 1 2 3 4 5 6 7 8 9 Next

Download Google Pack: free essential software for your PC

"virtual servers" inter-process comm | Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google

<u>Sign in</u>

Google

 Web
 Images
 Video
 News
 Maps
 more »

 jail kernel IPC mounting file system communic
 Search
 Advanced Search Preferences

Web

Results 1 - 10 of about 46,700 for jail kernel IPC mounting file system communication object. (0.26 seconds)

[PDF] Proceedings of the Linux Symposium Volume One

File Format: PDF/Adobe Acrobat - View as HTML

than the additional **kernel** state needed to track. a **jail**. Jails allow applications to be ... The **filesystem mount**. namespace, uts namespace, the SYS V **IPC** ...

https://ols2006.108.redhat.com/reprints/biederman-reprint.pdf - Similar pages

EP1475707 Sun european software patent - Method and apparatus for ...

The method may include **mounting** a **file system** to a global **file system** of the global ... The **kernel** process determines whether a **communications object** ... gauss.ffii.org/PatentView/EP1475707 - 103k - <u>Cached</u> - <u>Similar pages</u>

HotOS X — Technical Paper

FreeBSD's **jail** goes further, restricting a process's use of the network and interprocess **communication** (**IPC**). **System** administrators with enough patience and ... www.usenix.org/events/hotos05/final_papers/full_papers/krohn/krohn_html/index.html - 50k - Cached - Similar pages

[PS] Make Least Privilege a Right (Not a Privilege)

File Format: Adobe PostScript - View as Text

cess **communication** (**IPC**). **System** administrators with. enough patience and expertise can ... workarounds are used, such as NFS-mounting a local **file**. **system**. ... pdos.csail.mit.edu/papers/asbestos-hotos05.ps - <u>Similar pages</u>

BSD Jail as a Lightweight VM

We will then explore the FreeBSD **Jail system**, implemented by us, which adopts a hybrid ... Simple discretionary access control lists for files/**IPC objects** ... www.softpanorama.org/VM/**jails_as_lightweight_vm.shtml** - 78k - <u>Cached</u> - <u>Similar pages</u>

PERFORCE change 34992 for review

+ Modules may also be loaded as part of the boot process; file + system ... + In FreeBSD 5.1, objects referenced by file descriptors are: IPC + pipes, ... lists.freebsd.org/pipermail/trustedbsd-cvs/2003-July/001329.html - 53k - Cached - Similar pages

Minimize Privileges

The **communication** could be via shell invocation, or any **IPC** mechanism. ... The program can still use non-**filesystem objects** that are shared across the ... www.dwheeler.com/secure-programs/Secure-Programs-HOWTO/minimize-privileges.html - 29k - Cached - Similar pages

Method and apparatus for interprocess communications - Patent ...

means for establishing a **communications object** within the **file system** location; **...** The method may include **mounting** a **file system** to a global **file system** of **...** www.freepatentsonline.com/EP1475707.html - 94k - <u>Cached</u> - <u>Similar pages</u>

Symbols

File System Firewall Policy, The MAC bsdextended Module ... mount, Installing FreeBSD on a System without a Monitor or Keyboard, After the Disaster; mountd, ... www.freebsd.org/doc/en_US.ISO8859-1/books/handbook/doc-index.html - 91k - Cached - Similar pages

Fultus Technical Documentation and Professional Literature eLibrary
Nagios in a MAC Jail ... Bulding and Installing a FreeBSD Kernel ... To format a FBSD file
system floppy disk · To create /a floppy mount point ...
elibrary.fultus.com/technical/index.jsp - 977k - May 6, 2007 - Cached - Similar pages

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

Download Google Pack: free essential software for your PC

jail kernel IPC mounting file system (Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2007 Google